

ESENCIA 3740
ART. COMERCIAL BERGAMOTTO

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

- 1.1 Product identifier:** ESENCIA 3740
ART. COMERCIAL BERGAMOTTO UFI : SM62-90SY-P000-CPUJ
- Other means of identification:**
Non-applicable
- 1.2 Relevant identified uses of the substance or mixture and uses advised against:**
Relevant uses: Fragrance. For professional user/industrial user only.
Uses advised against: All uses not specified in this section or in section 7.3
- 1.3 Details of the supplier of the safety data sheet:**
PROREUSE SRLS, VIA TORINO 30
10070 VALLO TORINESE
Phone.: +3711998531
Proreuse1622@gmail.com
www.PROREUSE.IT
- 1.4 Emergency telephone number:** +3711998531

SECTION 2: HAZARDS IDENTIFICATION

- 2.1 Classification of the substance or mixture:**
CLP Regulation (EC) No 1272/2008:
Classification of this product has been carried out in accordance with CLP Regulation (EC) No 1272/2008.
Aquatic Acute 1: Hazardous to the aquatic environment, acute hazard, Category 1, H400
Aquatic Chronic 1: Hazardous to the aquatic environment, long-term hazard, Category 1, H410
Asp. Tox. 1: Aspiration hazard, Category 1, H304
Eye Irrit. 2: Eye irritation, Category 2, H319
Flam. Liq. 3: Flammable liquids, Category 3, H226
Repr. 2: Reproductive toxicity, Category 2, H361
Skin Irrit. 2: Skin irritation, Category 2, H315
Skin Sens. 1B: Sensitisation, skin, Category 1B, H317

- 2.2 Label elements:**
CLP Regulation (EC) No 1272/2008:
Danger



Hazard statements:

Aquatic Chronic 1: H410 - Very toxic to aquatic life with long lasting effects.
Asp. Tox. 1: H304 - May be fatal if swallowed and enters airways.
Eye Irrit. 2: H319 - Causes serious eye irritation.
Flam. Liq. 3: H226 - Flammable liquid and vapour.
Repr. 2: H361 - Suspected of damaging fertility or the unborn child.
Skin Irrit. 2: H315 - Causes skin irritation.
Skin Sens. 1B: H317 - May cause an allergic skin reaction.

Precautionary statements:

P101: If medical advice is needed, have product container or label at hand.
P102: Keep out of reach of children.
P210: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P280: Wear protective gloves/protective clothing/eye protection/face protection.
P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P308+P313: IF exposed or concerned: Get medical advice/attention.
P370+P378: In case of fire: Use ABC powder extinguisher to extinguish.
P501: Dispose of contents/container according to the separated collection system used in your municipality.

Supplementary information:

- CONTINUED ON NEXT PAGE -

Safety data sheet

This SDS is an English translation of Regulation (EU) n° 2015/830, without any country-specific legislation

ESENCIA 3740 ART. COMERCIAL BERGAMOTTO

SECTION 2: HAZARDS IDENTIFICATION (continued)

Contains CITRAL, LIMONENE, GERANYL ACETATE, LINALYL ACETATE, NERYL ACETATE, PINENE.

Substances that contribute to the classification

LINALOOL; BETA-PINENES; CITRUS AURANTIUM BERGAMIA FRUIT EXTRACT; GAMMA-TERPINENE

2.3 Other hazards:

Product fails to meet PBT/vPvB criteria

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS **

3.1 Substance:

Non-applicable

3.2 Mixture:

Chemical description: Odoriferous mixture based on natural and/or synthetic ingredients

Components:

In accordance with Annex II of Regulation (EC) No 1907/2006 (point 3), the product contains:

Identification	Chemical name/Classification	Concentration
CAS: 115-95-7 EC: 204-116-4 Index: Non-applicable REACH: 01-2119454789-19-XXXX	Linalyl acetate ⁽¹⁾ Self-classified Regulation 1272/2008 Eye Irrit. 2: H319; Skin Irrit. 2: H315; Skin Sens. 1: H317 - Warning	30 - <40 %
CAS: 5989-27-5 EC: 227-813-5 Index: 601-029-00-7 REACH: 01-2119529223-47-XXXX	d-limonene ⁽¹⁾ ATP CLP00 Regulation 1272/2008 Aquatic Acute 1: H400; Aquatic Chronic 1: H410; Flam. Liq. 3: H226; Skin Irrit. 2: H315; Skin Sens. 1: H317 - Warning	20 - <30 %
CAS: 78-70-6 EC: 201-134-4 Index: 603-235-00-2 REACH: 01-2119474016-42-XXXX	Linalool ⁽¹⁾ Self-classified Regulation 1272/2008 Eye Irrit. 2: H319; Skin Irrit. 2: H315; Skin Sens. 1B: H317 - Warning	20 - <30 %
CAS: 127-91-3 EC: 204-872-5 Index: Non-applicable REACH: 01-2119519230-54-XXXX	Pin-2(10)-ene ⁽¹⁾ Self-classified Regulation 1272/2008 Aquatic Acute 1: H400; Aquatic Chronic 1: H410; Asp. Tox. 1: H304; Flam. Liq. 3: H226; Skin Irrit. 2: H315; Skin Sens. 1B: H317 - Danger	5 - <10 %
CAS: 89957-91-5 EC: 289-612-9 Index: Non-applicable REACH: 01-2120117613-65-XXXX	Bergamot, oil ⁽¹⁾ Self-classified Regulation 1272/2008 Aquatic Chronic 3: H412; Asp. Tox. 1: H304; Eye Irrit. 2: H319; Flam. Liq. 3: H226; Skin Irrit. 2: H315; Skin Sens. 1: H317 - Danger	2,5 - <5 %
CAS: 99-85-4 EC: 202-794-6 Index: Non-applicable REACH: 01-2120780478-40-XXXX	p-mentha-1,4-diene ⁽¹⁾ Self-classified Regulation 1272/2008 Aquatic Chronic 2: H411; Flam. Liq. 3: H226; Repr. 2: H361 - Warning	2,5 - <5 %
CAS: 8000-41-7 EC: 232-268-1 Index: Non-applicable REACH: 01-2119553062-49-XXXX	Terpineol ⁽¹⁾ Self-classified Regulation 1272/2008 Eye Irrit. 2: H319; Skin Irrit. 2: H315 - Warning	1 - <2,5 %
CAS: 80-56-8 EC: 201-291-9 Index: Non-applicable REACH: 01-2119519223-49-XXXX	Pin-2(3)-ene ⁽¹⁾ Self-classified Regulation 1272/2008 Acute Tox. 4: H302; Aquatic Acute 1: H400; Aquatic Chronic 1: H410; Asp. Tox. 1: H304; Flam. Liq. 3: H226; Skin Irrit. 2: H315; Skin Sens. 1: H317 - Danger	1 - <2,5 %
CAS: 99-87-6 EC: 202-796-7 Index: Non-applicable REACH: 01-2119881770-31-XXXX	p-cymene ⁽¹⁾ Self-classified Regulation 1272/2008 Asp. Tox. 1: H304; Eye Irrit. 2: H319; Flam. Liq. 3: H226; Skin Irrit. 2: H315; STOT SE 3: H335 - Danger	1 - <2,5 %
CAS: 123-35-3 EC: 204-622-5 Index: Non-applicable REACH: 01-2119514321-56-XXXX	7-methyl-3-methylenoocta-1,6-diene ⁽¹⁾ Self-classified Regulation 1272/2008 Aquatic Acute 1: H400; Aquatic Chronic 2: H411; Asp. Tox. 1: H304; Eye Irrit. 2: H319; Flam. Liq. 3: H226; Skin Irrit. 2: H315 - Danger	<1 %

⁽¹⁾ Substances presenting a health or environmental hazard which meet criteria laid down in Regulation (EU) No. 2015/830

- CONTINUED ON NEXT PAGE -

Safety data sheet

This SDS is an English translation of Regulation (EU) n° 2015/830, without any country-specific legislation

ESENCIA 3740 ART. COMERCIAL BERGAMOTTO

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS ** (continued)

Identification	Chemical name/Classification		Concentration
CAS: 105-87-3 EC: 203-341-5 Index: Non-applicable REACH: 01-2119973480-35-XXXX	Geranyl acetate ⁽¹⁾	Self-classified	<1 %
	Regulation 1272/2008	Aquatic Chronic 3: H412; Skin Irrit. 2: H315; Skin Sens. 1: H317 - Warning	
CAS: 141-12-8 EC: 205-459-2 Index: Non-applicable REACH: 01-2120748334-54-XXXX	Neryl acetate ⁽¹⁾	Self-classified	<1 %
	Regulation 1272/2008	Skin Sens. 1B: H317 - Warning	
CAS: 5392-40-5 EC: 226-394-6 Index: 605-019-00-3 REACH: 01-2119462829-23-XXXX	Citral ⁽¹⁾	ATP CLP00	<1 %
	Regulation 1272/2008	Skin Irrit. 2: H315; Skin Sens. 1: H317 - Warning	
CAS: 128-37-0 EC: 204-881-4 Index: Non-applicable REACH: 01-2119565113-46-XXXX	2,6-di-tert-butyl-p-cresol ⁽¹⁾	Self-classified	<1 %
	Regulation 1272/2008	Aquatic Acute 1: H400; Aquatic Chronic 1: H410 - Warning	

⁽¹⁾ Substances presenting a health or environmental hazard which meet criteria laid down in Regulation (EU) No. 2015/830

To obtain more information on the hazards of the substances consult sections 11, 12 and 16.

** Changes with regards to the previous version

SECTION 4: FIRST AID MEASURES

4.1 Description of first aid measures:

The symptoms resulting from intoxication can appear after exposure, therefore, in case of doubt, seek medical attention for direct exposure to the chemical product or persistent discomfort, showing the SDS of this product.

By inhalation:

This product is not classified as hazardous through inhalation. However, in case of intoxication symptoms it is recommended to remove the person affected from the area of exposure, provide clean air and keep at rest. Request medical attention if symptoms persist.

By skin contact:

Remove contaminated clothing and footwear, rinse skin or shower the person affected if appropriate with plenty of cold water and neutral soap. In serious cases see a doctor. If the product causes burns or freezing, clothing should not be removed as this could worsen the injury caused if it is stuck to the skin. If blisters form on the skin, these should never be burst as this will increase the risk of infection.

By eye contact:

Rinse eyes thoroughly with lukewarm water for at least 15 minutes. Do not allow the person affected to rub or close their eyes. If the injured person uses contact lenses, these should be removed unless they are stuck to the eyes, in which case this could cause further damage. In all cases, after cleaning, a doctor should be consulted as quickly as possible with the SDS of the product.

By ingestion/aspiration:

Request medical assistance immediately, showing the SDS of this product. Do not induce vomiting, but if it does happen keep the head down to avoid aspiration. In the case of loss of consciousness do not administer anything orally unless supervised by a doctor. Rinse out the mouth and throat, as they may have been affected during ingestion. Keep the person affected at rest.

4.2 Most important symptoms and effects, both acute and delayed:

Acute and delayed effects are indicated in sections 2 and 11.

4.3 Indication of any immediate medical attention and special treatment needed:

Non-applicable

- CONTINUED ON NEXT PAGE -

Safety data sheet

This SDS is an English translation of Regulation (EU) n° 2015/830, without any country-specific legislation

ESENCIA 3740 **ART. COMERCIAL BERGAMOTTO**

SECTION 5: FIREFIGHTING MEASURES

5.1 Extinguishing media:

Suitable extinguishing media:

If possible use polyvalent powder fire extinguishers (ABC powder), alternatively use foam or carbon dioxide extinguishers (CO₂).

- CONTINUED ON NEXT PAGE -

ESENCIA 3740
ART. COMERCIAL BERGAMOTTO

SECTION 5: FIREFIGHTING MEASURES (continued)

Unsuitable extinguishing media:

IT IS RECOMMENDED NOT to use full jet water as an extinguishing agent.

5.2 Special hazards arising from the substance or mixture:

As a result of combustion or thermal decomposition reactive sub-products are created that can become highly toxic and, consequently, can present a serious health risk.

5.3 Advice for firefighters:

Depending on the magnitude of the fire it may be necessary to use full protective clothing and self-contained breathing apparatus (SCBA). Minimum emergency facilities and equipment should be available (fire blankets, portable first aid kit,...) in accordance with Directive 89/654/EC.

Additional provisions:

Act in accordance with the Internal Emergency Plan and the Information Sheets on actions to take after an accident or other emergencies. Eliminate all sources of ignition. In case of fire, cool the storage containers and tanks for products susceptible to combustion, explosion or BLEVE as a result of high temperatures. Avoid spillage of the products used to extinguish the fire into an aqueous medium.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures:

Isolate leaks provided that there is no additional risk for the people performing this task. Evacuate the area and keep out those without protection. Personal protection equipment must be used against potential contact with the spilt product (See section 8). Above all prevent the formation of any vapour-air flammable mixtures, through either ventilation or the use of an inert medium. Destroy any source of ignition. Eliminate electrostatic charges by interconnecting all the conductive surfaces on which static electricity could form, and also ensuring that all surfaces are connected to the ground.

6.2 Environmental precautions:

Avoid at all cost any type of spillage into an aqueous medium. Contain the product absorbed appropriately in hermetically sealed containers. Notify the relevant authority in case of exposure to the general public or the environment.

6.3 Methods and material for containment and cleaning up:

It is recommended:

Absorb the spillage using sand or inert absorbent and move it to a safe place. Do not absorb in sawdust or other combustible absorbents. For any concern related to disposal consult section 13.

6.4 Reference to other sections:

See sections 8 and 13.

SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling:

A.- Precautions for safe manipulation

Comply with the current legislation concerning the prevention of industrial risks. Keep containers hermetically sealed. Control spills and residues, destroying them with safe methods (section 6). Avoid leakages from the container. Maintain order and cleanliness where dangerous products are used.

B.- Technical recommendations for the prevention of fires and explosions

Transfer in well ventilated areas, preferably through localized extraction. Fully control sources of ignition (mobile phones, sparks,...) and ventilate during cleaning operations. Avoid the existence of dangerous atmospheres inside containers, applying inertization systems where possible. Transfer at a slow speed to avoid the creation of electrostatic charges. Against the possibility of electrostatic charges: ensure a perfect equipotential connection, always use groundings, do not wear work clothes made of acrylic fibres, preferably wearing cotton clothing and conductive footwear. Comply with the essential security requirements for equipment and systems defined in Directive 2014/34/EC (ATEX 100) and with the minimum requirements for protecting the security and health of workers under the selection criteria of Directive 1999/92/EC (ATEX 137). Consult section 10 for conditions and materials that should be avoided.

C.- Technical recommendations to prevent ergonomic and toxicological risks

PREGNANT WOMEN SHOULD NOT BE EXPOSED TO THIS PRODUCT. Transfer in designated areas that comply with the necessary safety conditions (emergency showers and eye wash stations in close proximity), using personal protection equipment, especially on the hands and face (See section 8). Limit manual transfers to small amounts only. Do not eat or drink during the process, washing hands afterwards with suitable cleaning products.

- CONTINUED ON NEXT PAGE -

Safety data sheet

This SDS is an English translation of Regulation (EU) n° 2015/830, without any country-specific legislation

ESENCIA 3740 ART. COMERCIAL BERGAMOTTO

SECTION 7: HANDLING AND STORAGE (continued)

D.- Technical recommendations to prevent environmental risks

Due to the danger of this product for the environment it is recommended to use it within an area containing contamination control barriers in case of spillage, as well as having absorbent material in close proximity.

7.2 Conditions for safe storage, including any incompatibilities:

A.- Technical measures for storage

Minimum Temp.: 5 °C
Maximum Temp.: 30 °C
Maximum time: 12 Months

B.- General conditions for storage

Avoid sources of heat, radiation, static electricity and contact with food. For additional information see subsection 10.5

7.3 Specific end use(s):

Except for the instructions already specified it is not necessary to provide any special recommendation regarding the uses of this product.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters:

Substances whose occupational exposure limits have to be monitored in the workplace (European OEL, not country-specific legislation):

There are no occupational exposure limits for the substances contained in the product

DNEL (Workers):

Identification		Short exposure		Long exposure	
		Systemic	Local	Systemic	Local
Linalyl acetate	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 115-95-7	Dermal	Non-applicable	Non-applicable	2,5 mg/kg	Non-applicable
EC: 204-116-4	Inhalation	Non-applicable	Non-applicable	2,75 mg/m ³	Non-applicable
d-limonene	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 5989-27-5	Dermal	Non-applicable	Non-applicable	9,5 mg/kg	Non-applicable
EC: 227-813-5	Inhalation	Non-applicable	Non-applicable	66,7 mg/m ³	Non-applicable
Linalool	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 78-70-6	Dermal	5 mg/kg	Non-applicable	2,5 mg/kg	Non-applicable
EC: 201-134-4	Inhalation	16,5 mg/m ³	Non-applicable	2,8 mg/m ³	Non-applicable
Pin-2(10)-ene	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 127-91-3	Dermal	Non-applicable	Non-applicable	0,8 mg/kg	Non-applicable
EC: 204-872-5	Inhalation	Non-applicable	Non-applicable	5,69 mg/m ³	Non-applicable
Bergamot, oil	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 89957-91-5	Dermal	Non-applicable	Non-applicable	3,9 mg/kg	Non-applicable
EC: 289-612-9	Inhalation	Non-applicable	Non-applicable	6,88 mg/m ³	Non-applicable
p-mentha-1,4-diene	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 99-85-4	Dermal	Non-applicable	Non-applicable	0,833 mg/kg	Non-applicable
EC: 202-794-6	Inhalation	Non-applicable	Non-applicable	2,939 mg/m ³	Non-applicable
Terpineol	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 8000-41-7	Dermal	Non-applicable	Non-applicable	6,36 mg/kg	Non-applicable
EC: 232-268-1	Inhalation	Non-applicable	Non-applicable	44,8 mg/m ³	Non-applicable
Pin-2(3)-ene	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 80-56-8	Dermal	Non-applicable	Non-applicable	0,542 mg/kg	Non-applicable
EC: 201-291-9	Inhalation	Non-applicable	Non-applicable	3,8 mg/m ³	Non-applicable
Neryl acetate	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 141-12-8	Dermal	Non-applicable	Non-applicable	2,05 mg/kg	Non-applicable
EC: 205-459-2	Inhalation	Non-applicable	Non-applicable	7,24 mg/m ³	Non-applicable

- CONTINUED ON NEXT PAGE -

Safety data sheet

This SDS is an English translation of Regulation (EU) n° 2015/830, without any country-specific legislation

ESENCIA 3740 ART. COMERCIAL BERGAMOTTO

Identification		Short exposure		Long exposure	
		Systemic	Local	Systemic	Local
Citral	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 5392-40-5	Dermal	Non-applicable	Non-applicable	1,7 mg/kg	Non-applicable
EC: 226-394-6	Inhalation	Non-applicable	Non-applicable	9 mg/m ³	Non-applicable

DNEL (General population):

Identification		Short exposure		Long exposure	
		Systemic	Local	Systemic	Local
Linalyl acetate	Oral	Non-applicable	Non-applicable	0,2 mg/kg	Non-applicable
CAS: 115-95-7	Dermal	Non-applicable	Non-applicable	1,25 mg/kg	Non-applicable
EC: 204-116-4	Inhalation	Non-applicable	Non-applicable	0,68 mg/m ³	Non-applicable
d-limonene	Oral	Non-applicable	Non-applicable	4,8 mg/kg	Non-applicable
CAS: 5989-27-5	Dermal	Non-applicable	Non-applicable	4,8 mg/kg	Non-applicable
EC: 227-813-5	Inhalation	Non-applicable	Non-applicable	16,6 mg/m ³	Non-applicable
Linalool	Oral	1,2 mg/kg	Non-applicable	0,2 mg/kg	Non-applicable
CAS: 78-70-6	Dermal	2,5 mg/kg	Non-applicable	1,25 mg/kg	Non-applicable
EC: 201-134-4	Inhalation	4,1 mg/m ³	Non-applicable	0,7 mg/m ³	Non-applicable
Pin-2(10)-ene	Oral	Non-applicable	Non-applicable	0,3 mg/kg	Non-applicable
CAS: 127-91-3	Dermal	Non-applicable	Non-applicable	0,3 mg/kg	Non-applicable
EC: 204-872-5	Inhalation	Non-applicable	Non-applicable	1 mg/m ³	Non-applicable
Bergamot, oil	Oral	Non-applicable	Non-applicable	1,95 mg/kg	Non-applicable
CAS: 89957-91-5	Dermal	Non-applicable	Non-applicable	1,95 mg/kg	Non-applicable
EC: 289-612-9	Inhalation	Non-applicable	Non-applicable	1,7 mg/m ³	Non-applicable
p-mentha-1,4-diene	Oral	Non-applicable	Non-applicable	0,417 mg/kg	Non-applicable
CAS: 99-85-4	Dermal	Non-applicable	Non-applicable	0,417 mg/kg	Non-applicable
EC: 202-794-6	Inhalation	Non-applicable	Non-applicable	0,725 mg/m ³	Non-applicable
Terpineol	Oral	Non-applicable	Non-applicable	2,69 mg/kg	Non-applicable
CAS: 8000-41-7	Dermal	Non-applicable	Non-applicable	2,69 mg/kg	Non-applicable
EC: 232-268-1	Inhalation	Non-applicable	Non-applicable	7,96 mg/m ³	Non-applicable
Pin-2(3)-ene	Oral	Non-applicable	Non-applicable	0,225 mg/kg	Non-applicable
CAS: 80-56-8	Dermal	Non-applicable	Non-applicable	0,225 mg/kg	Non-applicable
EC: 201-291-9	Inhalation	Non-applicable	Non-applicable	0,674 mg/m ³	Non-applicable
Neryl acetate	Oral	Non-applicable	Non-applicable	0,733 mg/kg	Non-applicable
CAS: 141-12-8	Dermal	Non-applicable	Non-applicable	0,733 mg/kg	Non-applicable
EC: 205-459-2	Inhalation	Non-applicable	Non-applicable	1,09 mg/m ³	Non-applicable
Citral	Oral	Non-applicable	Non-applicable	0,6 mg/kg	Non-applicable
CAS: 5392-40-5	Dermal	Non-applicable	Non-applicable	1 mg/kg	Non-applicable
EC: 226-394-6	Inhalation	Non-applicable	Non-applicable	2,7 mg/m ³	Non-applicable

PNEC:

Identification				
Linalyl acetate	STP	1 mg/L	Fresh water	0,011 mg/L
CAS: 115-95-7	Soil	0,115 mg/kg	Marine water	0,001 mg/L
EC: 204-116-4	Intermittent	0,11 mg/L	Sediment (Fresh water)	0,609 mg/kg
	Oral	Non-applicable	Sediment (Marine water)	0,061 mg/kg
d-limonene	STP	1,8 mg/L	Fresh water	0,014 mg/L
CAS: 5989-27-5	Soil	0,763 mg/kg	Marine water	0,0014 mg/L
EC: 227-813-5	Intermittent	Non-applicable	Sediment (Fresh water)	3,85 mg/kg
	Oral	0,133 g/kg	Sediment (Marine water)	0,385 mg/kg
Linalool	STP	10 mg/L	Fresh water	0,2 mg/L
CAS: 78-70-6	Soil	0,327 mg/kg	Marine water	0,02 mg/L
EC: 201-134-4	Intermittent	2 mg/L	Sediment (Fresh water)	2,22 mg/kg
	Oral	0,0078 g/kg	Sediment (Marine water)	0,222 mg/kg

- CONTINUED ON NEXT PAGE -

Safety data sheet

This SDS is an English translation of Regulation (EU) n° 2015/830, without any country-specific legislation

ESENCIA 3740 ART. COMERCIAL BERGAMOTTO

Identification				
Pin-2(10)-ene CAS: 127-91-3 EC: 204-872-5	STP	3,26 mg/L	Fresh water	0,001004 mg/L
	Soil	0,067 mg/kg	Marine water	0,0001 mg/L
	Intermittent	Non-applicable	Sediment (Fresh water)	0,337 mg/kg
	Oral	0,0131 g/kg	Sediment (Marine water)	0,034 mg/kg
p-mentha-1,4-diene CAS: 99-85-4 EC: 202-794-6	STP	10 mg/L	Fresh water	0,003 mg/L
	Soil	0,423 mg/kg	Marine water	0 mg/L
	Intermittent	Non-applicable	Sediment (Fresh water)	0,49 mg/kg
	Oral	Non-applicable	Sediment (Marine water)	0,049 mg/kg
Terpineol CAS: 8000-41-7 EC: 232-268-1	STP	2,57 mg/L	Fresh water	0,012 mg/L
	Soil	0,045 mg/kg	Marine water	0,0012 mg/L
	Intermittent	0,12 mg/L	Sediment (Fresh water)	0,263 mg/kg
	Oral	0,0166 g/kg	Sediment (Marine water)	0,026 mg/kg
Pin-2(3)-ene CAS: 80-56-8 EC: 201-291-9	STP	0,2 mg/L	Fresh water	0,000606 mg/L
	Soil	0,0317 mg/kg	Marine water	0,000061 mg/L
	Intermittent	0,00303 mg/L	Sediment (Fresh water)	0,157 mg/kg
	Oral	0,00876 g/kg	Sediment (Marine water)	0,0157 mg/kg
Neryl acetate CAS: 141-12-8 EC: 205-459-2	STP	100 mg/L	Fresh water	0,0049 mg/L
	Soil	0,088 mg/kg	Marine water	0,00049 mg/L
	Intermittent	0,049 mg/L	Sediment (Fresh water)	0,455 mg/kg
	Oral	0,0293 g/kg	Sediment (Marine water)	0,045 mg/kg
Citral CAS: 5392-40-5 EC: 226-394-6	STP	1,6 mg/L	Fresh water	0,007 mg/L
	Soil	0,021 mg/kg	Marine water	0,001 mg/L
	Intermittent	0,068 mg/L	Sediment (Fresh water)	0,125 mg/kg
	Oral	Non-applicable	Sediment (Marine water)	0,013 mg/kg

8.2 Exposure controls:



A.- General security and hygiene measures in the work place

As a preventative measure it is recommended to use basic Personal Protective Equipment, with the corresponding <<CE marking>> in accordance with Regulation (EU) 2016/425. For more information on Personal Protective Equipment (storage, use, cleaning, maintenance, class of protection,...) consult the information leaflet provided by the manufacturer. For more information see subsection 7.1. All information contained herein is a recommendation which needs some specification from the labour risk prevention services as it is not known whether the company has additional measures at its disposal.

B.- Respiratory protection



The use of protection equipment will be necessary if a mist forms or if the occupational exposure limits are exceeded.

C.- Specific protection for the hands

Pictogram	PPE	Labelling	CEN Standard	Remarks
 Mandatory hand protection	Protective gloves against minor risks			Replace gloves in case of any sign of damage. For prolonged periods of exposure to the product for professional users/industrials, we recommend using CE III gloves in line with standards EN 420:2004+A1:2010 and EN ISO 374-1:2016+A1:2018

As the product is a mixture of several substances, the resistance of the glove material can not be calculated in advance with total reliability and has therefore to be checked prior to the application.

D.- Ocular and facial protection

Pictogram	PPE	Labelling	CEN Standard	Remarks
 Mandatory face protection	Panoramic glasses against splash/projections.		EN 166:2002 EN ISO 4007:2018	Clean daily and disinfect periodically according to the manufacturer's instructions. Use if there is a risk of splashing.

E.- Body protection

- CONTINUED ON NEXT PAGE -

Safety data sheet

This SDS is an English translation of Regulation (EU) n° 2015/830, without any country-specific legislation

ESENCIA 3740 ART. COMERCIAL BERGAMOTTO

Pictogram	PPE	Labelling	CEN Standard	Remarks
	Work clothing			Replace before any evidence of deterioration. For periods of prolonged exposure to the product for professional/industrial users CE III is recommended, in accordance with the regulations in EN ISO 6529:2013, EN ISO 6530:2005, EN ISO 13688:2013, EN 464:1994.
	Anti-slip work shoes		EN ISO 20347:2012	Replace before any evidence of deterioration. For periods of prolonged exposure to the product for professional/industrial users CE III is recommended, in accordance with the regulations in EN ISO 20345:2012 y EN 13832-1:2007

F.- Additional emergency measures

Emergency measure	Standards	Emergency measure	Standards
 Emergency shower	ANSI Z358-1 ISO 3864-1:2011, ISO 3864-4:2011	 Eyewash stations	DIN 12 899 ISO 3864-1:2011, ISO 3864-4:2011

Environmental exposure controls:

In accordance with the community legislation for the protection of the environment it is recommended to avoid environmental spillage of both the product and its container. For additional information see subsection 7.1.D

Volatile organic compounds:

With regard to Directive 2010/75/EU, this product has the following characteristics:

V.O.C. (Supply):	58,8 % weight
V.O.C. density at 20 °C:	513,07 kg/m ³ (513,07 g/L)
Average carbon number:	10
Average molecular weight:	142,83 g/mol

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties:

For complete information see the product datasheet.

Appearance:

Physical state at 20 °C:	Liquid
Appearance:	Characteristic
Colour:	Yellowish
Odour:	Characteristic
Odour threshold:	Non-applicable *

Volatility:

Boiling point at atmospheric pressure:	195 °C
Vapour pressure at 20 °C:	111 Pa
Vapour pressure at 50 °C:	631,38 Pa (0,63 kPa)
Evaporation rate at 20 °C:	Non-applicable *

Product description:

Density at 20 °C:	872,6 kg/m ³
Relative density at 20 °C:	0,857 - 0,877
Dynamic viscosity at 20 °C:	1,45 cP
Kinematic viscosity at 20 °C:	1,67 cSt
Kinematic viscosity at 40 °C:	<20,5 cSt
Concentration:	Non-applicable *

*Not relevant due to the nature of the product, not providing information property of its hazards.

- CONTINUED ON NEXT PAGE -

Safety data sheet

This SDS is an English translation of Regulation (EU) n° 2015/830, without any country-specific legislation

ESENCIA 3740 ART. COMERCIAL BERGAMOTTO

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES (continued)

pH:	7
Vapour density at 20 °C:	Non-applicable *
Partition coefficient n-octanol/water 20 °C:	Non-applicable *
Solubility in water at 20 °C:	
Solubility properties:	Non-applicable *
Decomposition temperature:	Non-applicable *
Melting point/freezing point:	Non-applicable *
Explosive properties:	Non-applicable *
Oxidising properties:	Non-applicable *
Flammability:	
Flash Point:	50 °C
Heat of combustion:	Non-applicable *
Flammability (solid, gas):	Non-applicable *
Autoignition temperature:	225 °C
Lower flammability limit:	Not available
Upper flammability limit:	Not available
Explosive:	
Lower explosive limit:	Non-applicable *
Upper explosive limit:	Non-applicable *
9.2 Other information:	
Surface tension at 20 °C:	Non-applicable *
Refraction index:	1,45 - 1,47

*Not relevant due to the nature of the product, not providing information property of its hazards.

SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity:

No hazardous reactions are expected because the product is stable under recommended storage conditions. See section 7.

10.2 Chemical stability:

Chemically stable under the conditions of storage, handling and use.

10.3 Possibility of hazardous reactions:

Under the specified conditions, hazardous reactions that lead to excessive temperatures or pressure are not expected.

10.4 Conditions to avoid:

Applicable for handling and storage at room temperature:

Shock and friction	Contact with air	Increase in temperature	Sunlight	Humidity
Not applicable	Not applicable	Risk of combustion	Avoid direct impact	Not applicable

10.5 Incompatible materials:

Acids	Water	Oxidising materials	Combustible materials	Others
Avoid strong acids	Not applicable	Avoid direct impact	Not applicable	Avoid alkalis or strong bases

10.6 Hazardous decomposition products:

See subsection 10.3, 10.4 and 10.5 to find out the specific decomposition products. Depending on the decomposition conditions, complex mixtures of chemical substances can be released: carbon dioxide (CO₂), carbon monoxide and other organic compounds.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects:

- CONTINUED ON NEXT PAGE -

Safety data sheet

This SDS is an English translation of Regulation (EU) n° 2015/830, without any country-specific legislation

ESENCIA 3740 ART. COMERCIAL BERGAMOTTO

The experimental information related to the toxicological properties of the product itself is not available

Dangerous health implications:

In case of exposure that is repetitive, prolonged or at concentrations higher than the recommended occupational exposure limits, adverse effects on health may result, depending on the means of exposure:

A- Ingestion (acute effect):

- Acute toxicity : Based on available data, the classification criteria are not met, however, it contains substances classified as dangerous for consumption. For more information see section 3.
- Corrosivity/Irritability: The consumption of a considerable dose can cause irritation in the throat, abdominal pain, nausea and vomiting.

B- Inhalation (acute effect):

- Acute toxicity : Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for inhalation. For more information see section 3.
- Corrosivity/Irritability: Based on available data, the classification criteria are not met. However, it contains substances classified as dangerous for inhalation. For more information see section 3.

C- Contact with the skin and the eyes (acute effect):

- Contact with the skin: Produces skin inflammation.
- Contact with the eyes: Produces eye damage after contact.

D- CMR effects (carcinogenicity, mutagenicity and toxicity to reproduction):

- Carcinogenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for the effects mentioned. For more information see section 3.
IARC: 7-methyl-3-methyleneocta-1,6-diene (2B); 2,6-di-tert-butyl-p-cresol (3); d-limonene (3)
- Mutagenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for this effect. For more information see section 3.
- Reproductive toxicity: Suspected of damaging fertility or the unborn child

E- Sensitizing effects:

- Respiratory: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous with sensitising effects. For more information see section 3.
- Cutaneous: Prolonged contact with the skin can result in episodes of allergic contact dermatitis.

F- Specific target organ toxicity (STOT) - single exposure:

Based on available data, the classification criteria are not met. However, it contains substances classified as dangerous for inhalation. For more information see section 3.

G- Specific target organ toxicity (STOT)-repeated exposure:

- Specific target organ toxicity (STOT)-repeated exposure: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for this effect. For more information see section 3.
- Skin: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for this effect. For more information see section 3.

H- Aspiration hazard:

The consumption of a considerable dose can cause pulmonary damage.

Other information:

Non-applicable

Specific toxicology information on the substances:

Identification	Acute toxicity		Genus
Linalyl acetate CAS: 115-95-7 EC: 204-116-4	LD50 oral	14500 mg/kg	Rat
	LD50 dermal	5610 mg/kg	Rabbit
	LC50 inhalation	Non-applicable	
d-limonene CAS: 5989-27-5 EC: 227-813-5	LD50 oral	4400 mg/kg	Rat
	LD50 dermal	5100 mg/kg	Rabbit
	LC50 inhalation	Non-applicable	
Linalool CAS: 78-70-6 EC: 201-134-4	LD50 oral	3000 mg/kg	Rat
	LD50 dermal	5610 mg/kg	Rabbit
	LC50 inhalation	Non-applicable	

- CONTINUED ON NEXT PAGE -

Safety data sheet

This SDS is an English translation of Regulation (EU) n° 2015/830, without any country-specific legislation

ESENCIA 3740 ART. COMERCIAL BERGAMOTTO

Identification		Acute toxicity		Genus
Pin-2(3)-ene CAS: 80-56-8 EC: 201-291-9	LD50 oral	3700 mg/kg		Rat
	LD50 dermal	5100 mg/kg		Rabbit
	LC50 inhalation	Non-applicable		
Bergamot, oil CAS: 89957-91-5 EC: 289-612-9	LD50 oral	10000 mg/kg		Rat
	LD50 dermal	20000 mg/kg		Rabbit
	LC50 inhalation	Non-applicable		
Terpineol CAS: 8000-41-7 EC: 232-268-1	LD50 oral	4300 mg/kg		
	LD50 dermal	Non-applicable		
	LC50 inhalation	Non-applicable		
p-mentha-1,4-diene CAS: 99-85-4 EC: 202-794-6	LD50 oral	3850 mg/kg		Rat
	LD50 dermal	Non-applicable		
	LC50 inhalation	Non-applicable		
p-cymene CAS: 99-87-6 EC: 202-796-7	LD50 oral	4750 mg/kg		Rat
	LD50 dermal	Non-applicable		
	LC50 inhalation	Non-applicable		
Citral CAS: 5392-40-5 EC: 226-394-6	LD50 oral	4950 mg/kg		Rat
	LD50 dermal	2250 mg/kg		Rabbit
	LC50 inhalation	Non-applicable		
2,6-di-tert-butyl-p-cresol CAS: 128-37-0 EC: 204-881-4	LD50 oral	10000 mg/kg		Rat
	LD50 dermal	Non-applicable		
	LC50 inhalation	Non-applicable		

SECTION 12: ECOLOGICAL INFORMATION **

The experimental information related to the eco-toxicological properties of the product itself is not available

12.1 Toxicity:

Identification		Acute toxicity		Species	Genus
Linalyl acetate CAS: 115-95-7 EC: 204-116-4	LC50	11 mg/L (96 h)		Cyprinus carpio	Fish
	EC50	15 mg/L (48 h)		Daphnia magna	Crustacean
	EC50	62 mg/L (72 h)		Desmodesmus subspicatus	Algae
d-limonene CAS: 5989-27-5 EC: 227-813-5	LC50	0.702 mg/L (96 h)		Pimephales promelas	Fish
	EC50	0.577 mg/L (48 h)		Daphnia magna	Crustacean
	EC50	Non-applicable			
Linalool CAS: 78-70-6 EC: 201-134-4	LC50	27.8 mg/L (96 h)		Oncorhynchus mykiss	Fish
	EC50	59 mg/L (48 h)		Daphnia magna	Crustacean
	EC50	88.3 mg/L (96 h)		Scenedesmus subspicatus	Algae
Pin-2(10)-ene CAS: 127-91-3 EC: 204-872-5	LC50	>0.1 - 1 mg/L (96 h)			Fish
	EC50	>0.1 - 1 mg/L (48 h)			Crustacean
	EC50	>0.1 - 1 mg/L (72 h)			Algae
Bergamot, oil CAS: 89957-91-5 EC: 289-612-9	LC50	18 mg/L (96 h)		Oncorhynchus mykiss	Fish
	EC50	33 mg/L (48 h)		Daphnia magna	Crustacean
	EC50	11 mg/L (72 h)		Pseudokirchneriella subcapitata	Algae
p-mentha-1,4-diene CAS: 99-85-4 EC: 202-794-6	LC50	2.8 mg/L (96 h)		N/A	Fish
	EC50	10.2 mg/L (48 h)		Daphnia magna	Crustacean
	EC50	Non-applicable			
Pin-2(3)-ene CAS: 80-56-8 EC: 201-291-9	LC50	>0.1 - 1 mg/L (96 h)			Fish
	EC50	>0.1 - 1 mg/L (48 h)			Crustacean
	EC50	>0.1 - 1 mg/L (72 h)			Algae
p-cymene CAS: 99-87-6 EC: 202-796-7	LC50	48 mg/L (96 h)		Cyprinus carpio	Fish
	EC50	3.7 mg/L (48 h)		Daphnia magna	Crustacean
	EC50	Non-applicable			

** Changes with regards to the previous version

- CONTINUED ON NEXT PAGE -

Safety data sheet

This SDS is an English translation of Regulation (EU) n° 2015/830, without any country-specific legislation

ESENCIA 3740 ART. COMERCIAL BERGAMOTTO

Identification		Acute toxicity	Species	Genus
7-methyl-3-methylenoocta-1,6-diene	LC50	>0.1 - 1 mg/L (96 h)		Fish
CAS: 123-35-3	EC50	>0.1 - 1 mg/L (48 h)		Crustacean
EC: 204-622-5	EC50	>0.1 - 1 mg/L (72 h)		Algae
Geranyl acetate	LC50	>10 - 100 mg/L (96 h)		Fish
CAS: 105-87-3	EC50	>10 - 100 mg/L (48 h)		Crustacean
EC: 203-341-5	EC50	>10 - 100 mg/L (72 h)		Algae
Citral	LC50	6.1 mg/L (24 h)	Oryzias latipes	Fish
CAS: 5392-40-5	EC50	11 mg/L (24 h)	Daphnia magna	Crustacean
EC: 226-394-6	EC50	16 mg/L (72 h)	Scenedesmus subspicatus	Algae
2,6-di-tert-butyl-p-cresol	LC50	0.57 mg/L (96 h)	Brachydanio rerio	Fish
CAS: 128-37-0	EC50	0.61 mg/L (48 h)	Daphnia magna	Crustacean
EC: 204-881-4	EC50	Non-applicable		

12.2 Persistence and degradability:

Identification		Degradability	Biodegradability	
Linalyl acetate	BOD5	Non-applicable	Concentration	81 mg/L
CAS: 115-95-7	COD	Non-applicable	Period	28 days
EC: 204-116-4	BOD5/COD	Non-applicable	% Biodegradable	80 %
d-limonene	BOD5	Non-applicable	Concentration	Non-applicable
CAS: 5989-27-5	COD	Non-applicable	Period	28 days
EC: 227-813-5	BOD5/COD	Non-applicable	% Biodegradable	100 %
Linalool	BOD5	Non-applicable	Concentration	100 mg/L
CAS: 78-70-6	COD	Non-applicable	Period	28 days
EC: 201-134-4	BOD5/COD	Non-applicable	% Biodegradable	90 %
p-mentha-1,4-diene	BOD5	Non-applicable	Concentration	Non-applicable
CAS: 99-85-4	COD	Non-applicable	Period	28 days
EC: 202-794-6	BOD5/COD	Non-applicable	% Biodegradable	27 %
Pin-2(3)-ene	BOD5	Non-applicable	Concentration	100 mg/L
CAS: 80-56-8	COD	Non-applicable	Period	28 days
EC: 201-291-9	BOD5/COD	Non-applicable	% Biodegradable	95 %
p-cymene	BOD5	Non-applicable	Concentration	100 mg/L
CAS: 99-87-6	COD	Non-applicable	Period	14 days
EC: 202-796-7	BOD5/COD	Non-applicable	% Biodegradable	88 %
7-methyl-3-methylenoocta-1,6-diene	BOD5	Non-applicable	Concentration	100 mg/L
CAS: 123-35-3	COD	Non-applicable	Period	14 days
EC: 204-622-5	BOD5/COD	Non-applicable	% Biodegradable	86 %
Neryl acetate	BOD5	Non-applicable	Concentration	2 mg/L
CAS: 141-12-8	COD	Non-applicable	Period	28 days
EC: 205-459-2	BOD5/COD	Non-applicable	% Biodegradable	90 %
Citral	BOD5	0,56 g O2/g	Concentration	100 mg/L
CAS: 5392-40-5	COD	1,99 g O2/g	Period	28 days
EC: 226-394-6	BOD5/COD	0,28	% Biodegradable	92 %
2,6-di-tert-butyl-p-cresol	BOD5	Non-applicable	Concentration	50 mg/L
CAS: 128-37-0	COD	Non-applicable	Period	28 days
EC: 204-881-4	BOD5/COD	Non-applicable	% Biodegradable	4,5 %

12.3 Bioaccumulative potential:

Identification		Bioaccumulation potential
Linalyl acetate	BCF	174
CAS: 115-95-7	Pow Log	3.9
EC: 204-116-4	Potential	High

** Changes with regards to the previous version

- CONTINUED ON NEXT PAGE -

Safety data sheet

This SDS is an English translation of Regulation (EU) n° 2015/830, without any country-specific legislation

ESENCIA 3740 ART. COMERCIAL BERGAMOTTO

Identification	Bioaccumulation potential	
d-limonene	BCF	660
CAS: 5989-27-5	Pow Log	4.83
EC: 227-813-5	Potential	High
Linalool	BCF	39
CAS: 78-70-6	Pow Log	2.97
EC: 201-134-4	Potential	Moderate
Pin-2(10)-ene	BCF	440
CAS: 127-91-3	Pow Log	4.35
EC: 204-872-5	Potential	High
Bergamot, oil	BCF	683
CAS: 89957-91-5	Pow Log	
EC: 289-612-9	Potential	High
Pin-2(3)-ene	BCF	2800
CAS: 80-56-8	Pow Log	4.83
EC: 201-291-9	Potential	Very High
p-cymene	BCF	286
CAS: 99-87-6	Pow Log	4.1
EC: 202-796-7	Potential	High
7-methyl-3-methyleneocta-1,6-diene	BCF	324
CAS: 123-35-3	Pow Log	5.29
EC: 204-622-5	Potential	High
Neryl acetate	BCF	454
CAS: 141-12-8	Pow Log	
EC: 205-459-2	Potential	High
Citral	BCF	10
CAS: 5392-40-5	Pow Log	3.45
EC: 226-394-6	Potential	Low
2,6-di-tert-butyl-p-cresol	BCF	1365
CAS: 128-37-0	Pow Log	5.1
EC: 204-881-4	Potential	Very High

12.4 Mobility in soil:

Identification	Absorption/desorption			Volatility
Linalyl acetate	Koc	518	Henry	177 Pa·m ³ /mol
CAS: 115-95-7	Conclusion	Low	Dry soil	Yes
EC: 204-116-4	Surface tension	Non-applicable	Moist soil	Yes
d-limonene	Koc	6324	Henry	2533,13 Pa·m ³ /mol
CAS: 5989-27-5	Conclusion	Immobile	Dry soil	Yes
EC: 227-813-5	Surface tension	2,675E-2 N/m (25 °C)	Moist soil	Yes
Pin-2(10)-ene	Koc	Non-applicable	Henry	Non-applicable
CAS: 127-91-3	Conclusion	Non-applicable	Dry soil	Non-applicable
EC: 204-872-5	Surface tension	2,685E-2 N/m (25 °C)	Moist soil	Non-applicable
p-mentha-1,4-diene	Koc	8038	Henry	Non-applicable
CAS: 99-85-4	Conclusion	Immobile	Dry soil	Non-applicable
EC: 202-794-6	Surface tension	2,991E-2 N/m (25 °C)	Moist soil	Non-applicable
Pin-2(3)-ene	Koc	Non-applicable	Henry	Non-applicable
CAS: 80-56-8	Conclusion	Non-applicable	Dry soil	Non-applicable
EC: 201-291-9	Surface tension	2,587E-2 N/m (25 °C)	Moist soil	Non-applicable
p-cymene	Koc	5011.87	Henry	1114,58 Pa·m ³ /mol
CAS: 99-87-6	Conclusion	Low	Dry soil	Non-applicable
EC: 202-796-7	Surface tension	2,835E-2 N/m (25 °C)	Moist soil	Yes

** Changes with regards to the previous version

- CONTINUED ON NEXT PAGE -

Safety data sheet

This SDS is an English translation of Regulation (EU) n° 2015/830, without any country-specific legislation

ESENCIA 3740 ART. COMERCIAL BERGAMOTTO

Identification	Absorption/desorption		Volatility	
7-methyl-3-methylenoocta-1,6-diene	Koc	1300	Henry	6515,2 Pa·m ³ /mol
CAS: 123-35-3	Conclusion	Low	Dry soil	Non-applicable
EC: 204-622-5	Surface tension	Non-applicable	Moist soil	Yes
Neryl acetate	Koc	893	Henry	Non-applicable
CAS: 141-12-8	Conclusion	Moderate	Dry soil	Non-applicable
EC: 205-459-2	Surface tension	Non-applicable	Moist soil	Non-applicable
2,6-di-tert-butyl-p-cresol	Koc	8183	Henry	3,42E-1 Pa·m ³ /mol
CAS: 128-37-0	Conclusion		Dry soil	Yes
EC: 204-881-4	Surface tension	1,255E-2 N/m (258,85 °C)	Moist soil	Yes

12.5 Results of PBT and vPvB assessment:

Product fails to meet PBT/vPvB criteria

12.6 Other adverse effects:

Not described

**** Changes with regards to the previous version**

SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods:

Code	Description	Waste class (Regulation (EU) No 1357/2014)
	It is not possible to assign a specific code, as it depends on the intended use by the user	Dangerous

Type of waste (Regulation (EU) No 1357/2014):

HP14 Ecotoxic, HP5 Specific Target Organ Toxicity (STOT)/Aspiration Toxicity, HP3 Flammable, HP10 Toxic for reproduction, HP13 Sensitising, HP4 Irritant — skin irritation and eye damage

Waste management (disposal and evaluation):

Consult the authorized waste service manager on the assessment and disposal operations in accordance with Annex 1 and Annex 2 (Directive 2008/98/EC). As under 15 01 (2014/955/EC) of the code and in case the container has been in direct contact with the product, it will be processed the same way as the actual product. Otherwise, it will be processed as non-dangerous residue. We do not recommend disposal down the drain. See paragraph 6.2.

Regulations related to waste management:

In accordance with Annex II of Regulation (EC) No 1907/2006 (REACH) the community or state provisions related to waste management are stated

Community legislation: Directive 2008/98/EC, 2014/955/EU, Regulation (EU) No 1357/2014

SECTION 14: TRANSPORT INFORMATION

Transport of dangerous goods by land:

With regard to ADR 2021 and RID 2021:

- CONTINUED ON NEXT PAGE -

Safety data sheet

This SDS is an English translation of Regulation (EU) n° 2015/830, without any country-specific legislation

ESENCIA 3740 ART. COMERCIAL BERGAMOTTO

SECTION 14: TRANSPORT INFORMATION (continued)



- 14.1 UN number:** UN1169
14.2 UN proper shipping name: EXTRACTS, AROMATIC, LIQUID
14.3 Transport hazard class(es): 3
Labels: 3
14.4 Packing group: III
14.5 Environmental hazards: Yes
14.6 Special precautions for user
Special regulations: 601
Tunnel restriction code: D/E
Physico-Chemical properties: see section 9
Limited quantities: 5 L
14.7 Transport in bulk according to Annex II of Marpol and the IBC Code: Non-applicable

Transport of dangerous goods by sea:

With regard to IMDG 39-18:



- 14.1 UN number:** UN1169
14.2 UN proper shipping name: EXTRACTS, AROMATIC, LIQUID
14.3 Transport hazard class(es): 3
Labels: 3
14.4 Packing group: III
14.5 Marine pollutant: Yes
14.6 Special precautions for user
Special regulations: 223, 955
EmS Codes: F-E, S-D
Physico-Chemical properties: see section 9
Limited quantities: 5 L
Segregation group: Non-applicable
14.7 Transport in bulk according to Annex II of Marpol and the IBC Code: Non-applicable



Transport of dangerous goods by air:

With regard to IATA/ICAO 2021:

- 14.1 UN number:** UN1169
14.2 UN proper shipping name: EXTRACTS, AROMATIC, LIQUID
14.3 Transport hazard class(es): 3
Labels: 3
14.4 Packing group: III
14.5 Environmental hazards: Yes
14.6 Special precautions for user
Physico-Chemical properties: see section 9
14.7 Transport in bulk according to Annex II of Marpol and the IBC Code: Non-applicable

- CONTINUED ON NEXT PAGE -

Safety data sheet

This SDS is an English translation of Regulation (EU) n° 2015/830, without any country-specific legislation

ESENCIA 3740 **ART. COMERCIAL BERGAMOTTO**

SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:

Candidate substances for authorisation under the Regulation (EC) No 1907/2006 (REACH): Non-applicable

Substances included in Annex XI / of REACH ("Authorisation List") and sunset date: Non-applicable

Regulation (EC) No 1005/2009, about substances that deplete the ozone layer: Non-applicable

Article 95, REGULATION (EU) No 528/2012: Non-applicable

REGULATION (EU) No 649/2012, in relation to the import and export of hazardous chemical products: Non-applicable

- CONTINUED ON NEXT PAGE -

Safety data sheet

This SDS is an English translation of Regulation (EU) n° 2015/830, without any country-specific legislation

ESENCIA 3740 ART. COMERCIAL BERGAMOTTO

SECTION 15: REGULATORY INFORMATION (continued)

Seveso III:

Section	Description	Lower-tier requirements	Upper-tier requirements
P5c	FLAMMABLE LIQUIDS	5000	50000
E1	ENVIRONMENTAL HAZARDS	100	200

Limitations to commercialisation and the use of certain dangerous substances and mixtures (Annex XVII REACH, etc):

Shall not be used, as substance or as mixtures in aerosol dispensers where these aerosol dispensers are intended for supply to the general public for entertainment and decorative purposes such as the following:

- metallic glitter intended mainly for decoration,
- artificial snow and frost,
- "whoopie" cushions,
- silly string aerosols,
- imitation excrement,
- horns for parties,
- decorative flakes and foams,
- artificial cobwebs,
- stink bombs.

Without prejudice to the application of other Community provisions on the classification, packaging and labelling of substances, suppliers shall ensure before the placing on the market that the packaging of aerosol dispensers referred to above is marked visibly, legibly and indelibly with:

'For professional users only'.

Shall not be used in:

- ornamental articles intended to produce light or colour effects by means of different phases, for example in ornamental lamps and ashtrays,
- tricks and jokes,
- games for one or more participants, or any article intended to be used as such, even with ornamental aspects.

Specific provisions in terms of protecting people or the environment:

It is recommended to use the information included in this safety data sheet as a basis for conducting workplace-specific risk assessments in order to establish the necessary risk prevention measures for the handling, use, storage and disposal of this product.

Other legislation:

The product could be affected by sectorial legislation

15.2 Chemical safety assessment:

The supplier has not carried out evaluation of chemical safety.

SECTION 16: OTHER INFORMATION

Legislation related to safety data sheets:

The SDS shall be supplied in an official language of the country where the product is placed on the market. This safety data sheet has been designed in accordance with ANNEX II-Guide to the compilation of safety data sheets of Regulation (EC) No 1907/2006 (Regulation (EC) No 2015/830).

Modifications related to the previous Safety Data Sheet which concerns the ways of managing risks.:

COMPOSITION/INFORMATION ON INGREDIENTS (SECTION 3, SECTION 12):

- New declared substances
- Neryl acetate (141-12-8)

CLP Regulation (EC) No 1272/2008 (SECTION 2, SECTION 16):

- Substances contained in EUH208:
- New declared substances
- Neryl acetate (141-12-8)

Texts of the legislative phrases mentioned in section 2:

H317: May cause an allergic skin reaction.

H315: Causes skin irritation.

H400: Very toxic to aquatic life.

H410: Very toxic to aquatic life with long lasting effects.

H361: Suspected of damaging fertility or the unborn child.

H304: May be fatal if swallowed and enters airways.

H226: Flammable liquid and vapour.

H319: Causes serious eye irritation.

- CONTINUED ON NEXT PAGE -

ESENCIA 3740
ART. COMERCIAL BERGAMOTTO**SECTION 16: OTHER INFORMATION (continued)****Texts of the legislative phrases mentioned in section 3:**

The phrases indicated do not refer to the product itself; they are present merely for informative purposes and refer to the individual components which appear in section 3

CLP Regulation (EC) No 1272/2008:

Acute Tox. 4: H302 - Harmful if swallowed.
Aquatic Acute 1: H400 - Very toxic to aquatic life.
Aquatic Chronic 1: H410 - Very toxic to aquatic life with long lasting effects.
Aquatic Chronic 2: H411 - Toxic to aquatic life with long lasting effects.
Aquatic Chronic 3: H412 - Harmful to aquatic life with long lasting effects.
Asp. Tox. 1: H304 - May be fatal if swallowed and enters airways.
Eye Irrit. 2: H319 - Causes serious eye irritation.
Flam. Liq. 3: H226 - Flammable liquid and vapour.
Repr. 2: H361 - Suspected of damaging fertility or the unborn child.
Skin Irrit. 2: H315 - Causes skin irritation.
Skin Sens. 1: H317 - May cause an allergic skin reaction.
Skin Sens. 1B: H317 - May cause an allergic skin reaction.
STOT SE 3: H335 - May cause respiratory irritation.

Classification procedure:

Skin Sens. 1B: Calculation method
Skin Irrit. 2: Calculation method
Aquatic Acute 1: Calculation method
Aquatic Chronic 1: Calculation method
Repr. 2: Calculation method
Asp. Tox. 1: Calculation method
Flam. Liq. 3: Calculation method (2.6.4.3)
Eye Irrit. 2: Calculation method

Advice related to training:

Minimal training is recommended in order to prevent industrial risks for staff using this product and to facilitate their comprehension and interpretation of this safety data sheet, as well as the label on the product.

Principal bibliographical sources:

<http://echa.europa.eu>
<http://eur-lex.europa.eu>

Abbreviations and acronyms:

ADR: European agreement concerning the international carriage of dangerous goods by road
IMDG: International maritime dangerous goods code
IATA: International Air Transport Association
ICAO: International Civil Aviation Organisation
COD: Chemical Oxygen Demand
BOD5: 5-day biochemical oxygen demand
BCF: Bioconcentration factor
LD50: Lethal Dose 50
LC50: Lethal Concentration 50
EC50: Effective concentration 50
Log-POW: Octanol-water partition coefficient
Koc: Partition coefficient of organic carbon

Safety data sheet

This SDS is an English translation of Regulation (EU) n° 2015/830, without any country-specific legislation

ESENCIA 3740 **ART. COMERCIAL BERGAMOTTO**

The information contained in this safety data sheet is based on sources, technical knowledge and current legislation at European and state level, without being able to guarantee its accuracy. This information cannot be considered a guarantee of the properties of the product, it is simply a description of the security requirements. The occupational methodology and conditions for users of this product are not within our awareness or control, and it is ultimately the responsibility of the user to take the necessary measures to obtain the legal requirements concerning the manipulation, storage, use and disposal of chemical products. The information on this safety data sheet only refers to this product, which should not be used for needs other than those specified.

- END OF SAFETY DATA SHEET -