## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 Issue date: 4/28/2023

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product form : Mixture

Trade name : MANDARIN PALO SANTO #EU55161F

UFI : QURW-5491-R00R-6RUP

Product code : EU55161F

Type of product : Perfumes, fragrances
Product group : Trade product

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### 1.2.1. Relevant identified uses

Main use category : Professional use,Industrial use

Industrial/Professional use spec : Industrial

For professional use only

Use of the substance/mixture : Perfumes, fragrances
Function or use category : Odour agents

#### 1.2.2. Uses advised against

No additional information available

#### 1.3. Details of the supplier of the safety data sheet

PROREUSE SRLS

Via Torino n.30

IT -10070 VALLO TORINESE - ITALIA

T 3711998531

proreuse1622@gmail.com

#### 1.4. Emergency telephone number

Emergency number

: 1-800-255-3924; +01-813-248-0585; China:+400-120-0751; Mexico:+01-800-099-0731; Brazil: +0-800-591-6042; India: +000-800-100-4086 Italia: 800 011 858

## **SECTION 2: Hazards identification**

### 2.1. Classification of the substance or mixture

#### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Skin sensitisation, Category 1 H317
Hazardous to the aquatic environment – Chronic Hazard, Category 3 H412

Full text of H- and EUH-statements: see section 16

### Adverse physicochemical, human health and environmental effects

Harmful to aquatic life with long lasting effects. May cause an allergic skin reaction.

## 2.2. Label elements

### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)



Signal word (CLP)

: Warning

Contains

: Cinnamic aldehyde; Vertenex; d-Limonene; Orange oil ; Eugenol; Eucalyptus oil; Triplal (Vertocitral); Fir Needle oil, Siberian; Allyl cyclohexylpropionate; Lemon oil ; Amberwood F

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Hazard statements (CLP) : H317 - May cause an allergic skin reaction.

H412 - Harmful to aquatic life with long lasting effects.

Precautionary statements (CLP) : P261 - Avoid breathing dust/fume/gas/mist/vapours/spray.

P272 - Contaminated work clothing should not be allowed out of the workplace. P273 -

Avoid release to the environment.

P280 - Wear protective gloves/protective clothing/eye protection/face protection/hearing

protection.

P302+P352 - IF ON SKIN: Wash with plenty of water.

P321 - Specific treatment (see supplemental first aid instruction on this label).

: For professional users only.

#### 2.3. Other hazards

Extra phrases

Contains no PBT/vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

### SECTION 3: Composition/information on ingredients

### 3.1. Substances

Not applicable

### 3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Cinnamic aldehyde	CAS-No.: 104-55-2 EC-No.: 203-213-9 REACH-no: 01-2119935242- 45	2.3 – 4.5	Acute Tox. 4 (Dermal), H312 Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317 Aquatic Chronic 3, H412
Vertenex	CAS-No.: 32210-23-4 EC-No.: 250-954-9 REACH-no: 01-2119976286- 24	1.5 – 3.01	Skin Sens. 1B, H317
d-Limonene substance with national workplace exposure limit(s) (DE, ES, FI, SI, NO, CH)	CAS-No.: 5989-27-5 EC-No.: 227-813-5 EC Index-No.: 601-029-00- 7;601-096-00-2 REACH-no: 01-2119493353- 35	1.2 – 2.39	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1B, H317 Asp. Tox. 1, H304 Aquatic Acute 1, H400 Aquatic Chronic 3, H412
Cinnamyl acetate	CAS-No.: 103-54-8 EC-No.: 203-121-9	0.9 – 1.85	Eye Irrit. 2, H319
Orange oil	CAS-No.: 8008-57-9 EC-No.: 232-433-8 REACH-no: 01-2119493353- 35	0.9 – 1.74	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 Asp. Tox. 1, H304 Aquatic Acute 1, H400 Aquatic Chronic 2, H411
Eugenol	CAS-No.: 97-53-0 EC-No.: 202-589-1 REACH-no: 01-2119971802- 33	0.5 – 1.09	Acute Tox. 4 (Oral), H302 Eye Irrit. 2, H319 Skin Sens. 1B, H317

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Eucalyptus oil	CAS-No.: 8000-48-4 EC-No.: 283-406-2;286-249- 8;616-775-9 REACH-no: 01-2119978250- 37	0.3 – 0.65	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 Asp. Tox. 1, H304 Aquatic Chronic 2, H411
Triplal (Vertocitral)	CAS-No.: 68039-49-6 EC-No.: 268-264-1	0.3 – 0.5303	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317 Aquatic Chronic 3, H412
Fir Needle oil, Siberian	CAS-No.: 8021-29-2 EC-No.: 290-163-6;617-005-4	0.2 – 0.39	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317 Asp. Tox. 1, H304 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Allyl cyclohexylpropionate	CAS-No.: 2705-87-5 EC-No.: 220-292-5	0.1 – 0.24	Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Dermal), H312 Acute Tox. 4 (Inhalation), H332 Skin Sens. 1, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Lemon oil	CAS-No.: 8008-56-8 EC-No.: 284-515-8;616-925-3	0.1 – 0.22	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 Repr. 2, H361 Aquatic Chronic 2, H411
Amberwood F	CAS-No.: 58567-11-6 EC-No.: 261-332-1	0.1 – 0.17	Skin Irrit. 2, H315 Skin Sens. 1B, H317 Aquatic Chronic 2, H411

Full text of H- and EUH-statements: see section 16

#### **SECTION 4: First aid measures**

## 4.1. Description of first aid measures

First-aid measures general

: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).

First-aid measures after inhalation

: Remove person to fresh air and keep comfortable for breathing. Allow affected person to breathe fresh air. Allow the victim to rest.

First-aid measures after skin contact

: If skin irritation or rash occurs: Get medical advice/attention. Specific treatment (see Get medical advice/attention. on this label). If skin irritation occurs: Get medical advice/attention. Take off immediately all contaminated clothing. Rinse skin with water/shower. Wash with plenty of water/.... Get medical advice/attention. Wash contaminated clothing before reuse. Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse. If skin irritation or rash occurs: Get medical advice/attention.

First-aid measures after eye contact

: Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness persists. Rinse eyes with water as a precaution.

First-aid measures after ingestion

: Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention. Call a poison center or a doctor if you feel unwell.

#### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects

: Not expected to present a significant hazard under anticipated conditions of normal use.

4/28/2023 (Issue date) EN (English) 3/14

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Symptoms/effects after skin contact : May cause an allergic skin reaction.

### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

### **SECTION 5: Firefighting measures**

#### 5.1. Extinguishing media

Suitable extinguishing media : Sand. Water spray. Dry powder. Foam. Carbon dioxide.

Unsuitable extinguishing media : Do not use a heavy water stream.

#### 5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products in case of fire : Toxic fumes may be released.

#### 5.3. Advice for firefighters

Firefighting instructions : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any

chemical fire. Prevent fire fighting water from entering the environment.

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

Do not attempt to take action without suitable protective equipment. Self-contained

breathing apparatus. Complete protective clothing.

### **SECTION 6: Accidental release measures**

### 6.1. Personal precautions, protective equipment and emergency procedures

#### 6.1.1. For non-emergency personnel

Emergency procedures : Ventilate spillage area. Evacuate unnecessary personnel. Avoid contact with skin and eyes.

Avoid breathing dust/fume/gas/mist/vapours/spray.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. Equip cleanup crew

with proper protection. For further information refer to section 8: "Exposure

controls/personal protection".

Emergency procedures : Ventilate area.

## 6.2. Environmental precautions

Avoid release to the environment. Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

#### 6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Take up liquid spill into absorbent material. Soak up spills with inert solids, such as clay or

diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.

Other information : Dispose of materials or solid residues at an authorized site.

#### 6.4. Reference to other sections

See Section 8. Exposure controls and personal protection. For further information refer to section 13.

### **SECTION 7: Handling and storage**

## 7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Wear personal protective equipment. Wash

hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapour. No open flames. No smoking. Take precautionary measures against static discharge. Use only non-sparking tools. Avoid contact with skin and eyes. Avoid breathing

dust/fume/gas/mist/vapours/spray.

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Hygiene measures

: Do not eat, drink or smoke when using this product. Always wash hands after handling the product. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse.

### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions

: Keep only in the original container in a cool, well ventilated place away from : Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Keep container tightly closed. Keep container closed when not in use. Store in a well-ventilated place. Keep cool. Keep in fireproof place.

Incompatible products : Strong bases. Strong acids.

Incompatible materials : Sources of ignition. Direct sunlight. Heat sources.

Storage temperature : 25 °C

Storage area : Store in a well-ventilated place. Store away from heat.

Special rules on packaging : Store in a closed container.
Packaging materials : Do not store in corrodable metal.

### 7.3. Specific end use(s)

No additional information available

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

#### 8.1.1 National occupational exposure and biological limit values

d-Limonene (5989-27-5)			
Finland - Occupational Exposure Limits			
HTP (OEL TWA) [1]	140 mg/m³		
HTP (OEL TWA) [2]	25 ppm		
HTP (OEL STEL)	280 mg/m³		
HTP (OEL STEL) [ppm]	50 ppm		
Germany - Occupational Exposure Limits (TRGS 90	0)		
AGW (OEL TWA) [1]	28 mg/m³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)		
AGW (OEL TWA) [2]	5 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)		
Chemical category	Skin notation, Skin sensitization		
Slovenia - Occupational Exposure Limits	Slovenia - Occupational Exposure Limits		
OEL TWA	28 mg/m³		
OEL TWA [ppm]	5 ppm		
OEL STEL	112 mg/m³		
OEL STEL [ppm]	20 ppm		
OEL chemical category	Potential for cutaneous absorption		
Spain - Occupational Exposure Limits			
VLA-ED (OEL TWA) [1]	168 mg/m³		
VLA-ED (OEL TWA) [2]	30 ppm		
OEL chemical category	Sensitizer, skin - potential for cutaneous absorption		
Norway - Occupational Exposure Limits			
Grenseverdi (OEL TWA) [1]	140 mg/m³		

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

d-Limonene (5989-27-5)		
Grenseverdi (OEL TWA) [2]	25 ppm	
Korttidsverdi (OEL STEL)	175 mg/m³ (value calculated)	
Korttidsverdi (OEL STEL) [ppm]	37.5 ppm (value calculated)	
OEL chemical category	Allergenic substance	
Switzerland - Occupational Exposure Limits		
MAK (OEL TWA) [1]	40 mg/m³	
MAK (OEL TWA) [2]	7 ppm	
KZGW (OEL STEL)	80 mg/m³	
KZGW (OEL STEL) [ppm]	14 ppm	
OEL chemical category	Sensitizer	

#### 8.1.2. Recommended monitoring procedures

No additional information available

#### 8.1.3. Air contaminants formed

No additional information available

#### 8.1.4. DNEL and PNEC

No additional information available

#### 8.1.5. Control banding

No additional information available

### 8.2. Exposure controls

### 8.2.1. Appropriate engineering controls

#### Appropriate engineering controls:

Ensure good ventilation of the work station.

#### 8.2.2. Personal protection equipment

### Personal protective equipment:

Avoid all unnecessary exposure.

#### Personal protective equipment symbol(s):





#### 8.2.2.1. Eye and face protection

### Eye protection:

Chemical goggles or safety glasses. Safety glasses

## 8.2.2.2. Skin protection

#### Skin and body protection:

Wear suitable protective clothing

#### Hand protection:

Wear protective gloves.

## 8.2.2.3. Respiratory protection

### Respiratory protection:

Wear appropriate mask

#### 8.2.2.4. Thermal hazards

No additional information available

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

#### 8.2.3. Environmental exposure controls

#### **Environmental exposure controls:**

Avoid release to the environment.

#### Other information:

Do not eat, drink or smoke during use.

## **SECTION 9: Physical and chemical properties**

#### 9.1. Information on basic physical and chemical properties

Physical state : Liquid

Colour : light yellow. amber.
Odour : characteristic.
Odour threshold : Not available
Melting point : Not applicable
Freezing point : Not available
Boiling point : Not available

Flammability : Not applicable, Flammable liquid and vapour, Combustible liquid

: Not available

: Not applicable

**Explosive limits** : Not available Lower explosion limit : Not available Upper explosion limit : Not available Flash point : 92 °C : Not available Auto-ignition temperature Decomposition temperature : Not available : Not available рΗ Viscosity, kinematic : Not available Solubility : Not available Partition coefficient n-octanol/water (Log Kow) : Not available Vapour pressure : Not available : Not available Vapour pressure at 50°C : Not available Density : Not available Relative density

## 9.2. Other information

Particle characteristics

Relative vapour density at 20°C

#### 9.2.1. Information with regard to physical hazard classes

No additional information available

#### 9.2.2. Other safety characteristics

No additional information available

## SECTION 10: Stability and reactivity

#### 10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

#### 10.2. Chemical stability

Flammable liquid and vapour. May form flammable/explosive vapour-air mixture. Combustible liquid.

#### 10.3. Possibility of hazardous reactions

Not established.

### 10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures. Open flame. Overheating. Heat. Sparks.

#### 10.5. Incompatible materials

Strong acids. Strong bases.

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

## 10.6. Hazardous decomposition products

fume. Carbon monoxide. Carbon dioxide. May release flammable gases.

## **SECTION 11: Toxicological information**

## 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

Cinnamic aldehyde (104-55-2)           LD50 oral rat         2220 mg/kg           LD50 oral         2200 mg/kg bodyweight           LD50 dermal rabbit         1260 mg/kg           LD50 dermal rabbit         1260 mg/kg bodyweight           Vertenex (32210-23-4)           LD50 oral rat         5 g/kg           LD50 oral rat         5 900 mg/kg           d-Limonene (5989-27-5)           LD50 oral rat         4400 mg/kg           LD50 oral rat         3300 mg/kg           LD50 oral rat         4400 mg/kg           LD50 oral rat         4500 mg/kg           Eugenol (97-53-0)         2500 mg/kg           LD50 oral rat         1930 mg/kg           LD50 oral rat         2500 mg/kg bodyweight           Euclyptus oil (8000-48-4)	Acute toxicity (inhalation) : Not classified		
LD50 oral   2200 mg/kg bodyweight	Cinnamic aldehyde (104-55-2)		
LD50 dermal rabbit         1260 mg/kg           LD50 dermal         1100 mg/kg bodyweight           Vertenex (32210-23-4)           LD50 oral rat         5 g/kg           LD50 oral and tabbit         > 5000 mg/kg bodyweight           LD50 dermal rabbit           d-Limonene (5989-27-5)           LD50 oral rat         4400 mg/kg           LD50 dermal rabbit         > 5 g/kg           Clinnamyl acetate (103-54-8)           LD50 oral rat         3300 mg/kg           LD50 oral rat         3300 mg/kg           LD50 oral rat         4400 mg/kg           LD50 dermal rabbit         > 5000 mg/kg           Orarge oil (8008-57-9)           LD50 oral rat         4400 mg/kg           LD50 dermal rabbit         > 5000 mg/kg           Eugenol (97-53-0)           LD50 oral rat         1930 mg/kg           LD50 oral         2500 mg/kg bodyweight           Eugly tus oil (8000-48-4)           LD50 oral rat         2480 mg/kg           Tripial (Vertocitral) (68039-49-6)           LD50 oral         3900 mg/kg bodyweight           Fir Needle oil, Siberian (8021-29-2)           LD50 oral rat	LD50 oral rat	2220 mg/kg	
No.   No.	LD50 oral	2200 mg/kg bodyweight	
Vertenex (32210-23-4)           LD50 oral rat         5 g/kg           LD50 oral         3370 mg/kg bodyweight           LD50 dermal rabbit         > 5000 mg/kg           d-Limonene (5989-27-5)           LD50 oral rat         4400 mg/kg           LD50 dermal rabbit         > 5 g/kg           Cinnamyl acetate (103-54-8)           LD50 oral rat         3300 mg/kg           LD50 oral rat         3330 mg/kg bodyweight           LD50 oral rat         4400 mg/kg           Corange oil (8008-57-9)         Vertenex (8008-800-800-800-800-800-800-800-800-80	LD50 dermal rabbit	1260 mg/kg	
LD50 oral rat         \$ g/kg           LD50 oral         3370 mg/kg bodyweight           LD50 dermal rabbit         > 5000 mg/kg           d-Limonene (5989-27-5)           LD50 oral rat         4400 mg/kg           LD50 dermal rabbit         > 5 g/kg           Cinnamyl acetate (103-54-8)           LD50 oral rat         3300 mg/kg           LD50 oral rat         3330 mg/kg bodyweight           LD50 oral rat         4400 mg/kg           LD50 oral rat         4400 mg/kg           LD50 oral rat         4400 mg/kg           LD50 oral rat         9 5000 mg/kg           Eugenol (97-53-0)           LD50 oral rat         1930 mg/kg           LD50 oral rat         2500 mg/kg bodyweight           Eucalyptus oil (8000-48-4)           LD50 oral rat         2480 mg/kg           Eucalyptus oil (8000-48-4)           LD50 oral rat         3900 mg/kg bodyweight           Eucalyptus oil (8000-48-4)           LD50 oral rat         3900 mg/kg bodyweight	LD50 dermal	1100 mg/kg bodyweight	
LD50 oral         3370 mg/kg bodyweight           LD50 dermal rabbit         > 5000 mg/kg           d-Limonene (5989-27-5)           LD50 oral rat         4400 mg/kg           LD50 dermal rabbit         > 5 g/kg           Cinnamyl acetate (103-54-8)           LD50 oral rat         3300 mg/kg           LD50 oral rat         3330 mg/kg bodyweight           LD50 dermal rabbit         > 5000 mg/kg           Corange oil (8008-57-9)           LD50 oral rat         4400 mg/kg           LD50 dermal rabbit         > 5000 mg/kg           Eugenol (97-53-0)           LD50 oral rat         1930 mg/kg           LD50 oral rat         2500 mg/kg bodyweight           Eucalyptus oil (8000-48-4)           LD50 oral rat         2480 mg/kg           Eucalyptus oil (8000-48-4)           LD50 oral rat         3900 mg/kg bodyweight           Eucalyptus oil (8000-48-4)           LD50 oral rat         3900 mg/kg bodyweight           Eucalyptus oil (8000-48-4)           LD50 oral rat         3900 mg/kg bodyweight	Vertenex (32210-23-4)		
LD50 dermal rabbit         > 5000 mg/kg           d-Limonene (5989-27-5)           LD50 oral rat         4400 mg/kg           LD50 dermal rabbit         > 5 g/kg           Cinnamyl acetate (103-54-8)           LD50 oral rat         3300 mg/kg           LD50 oral         3330 mg/kg bodyweight           LD50 dermal rabbit         > 5000 mg/kg           Crange oil (8008-57-9)           LD50 oral rat         4400 mg/kg           LD50 dermal rabbit         > 5000 mg/kg           Eugenol (97-53-0)           LD50 oral rat         1930 mg/kg           LD50 oral rat         2500 mg/kg bodyweight           Eucalyptus oil (8000-48-4)           LD50 oral rat         2480 mg/kg           Triplal (Vertocitral) (68039-49-6)           LD50 oral         3900 mg/kg bodyweight           Triplal (Vertocitral) (68039-49-6)           LD50 oral rat         3000 mg/kg bodyweight	LD50 oral rat	5 g/kg	
d-Limonene (5989-27-5)           LD50 oral rat         4400 mg/kg           LD50 dermal rabbit         > 5 g/kg           Cinnamyl acetate (103-54-8)           LD50 oral         3300 mg/kg           LD50 oral         3330 mg/kg bodyweight           LD50 dermal rabbit         > 5000 mg/kg           Crange oil (8008-57-9)           LD50 oral rat         4400 mg/kg           LD50 dermal rabbit         > 5000 mg/kg           Eugenol (97-53-0)           LD50 oral rat         1930 mg/kg           LD50 oral rat         2500 mg/kg bodyweight           Eucalyptus oil (8000-48-4)           LD50 oral rat         2480 mg/kg           Triplal (Vertocitral) (68039-49-6)           LD50 oral         3900 mg/kg bodyweight           Fir Needle oil, Siberian (8021-29-2)           LD50 oral rat         10200 mg/kg	LD50 oral	3370 mg/kg bodyweight	
LD50 oral rat       4400 mg/kg         LD50 dermal rabbit       > 5 g/kg         Cinnamyl acetate (103-54-8)         LD50 oral rat       3300 mg/kg         LD50 oral       3330 mg/kg bodyweight         LD50 dermal rabbit       > 5000 mg/kg         Orange oil (8008-57-9)         LD50 oral rat       4400 mg/kg         LD50 dermal rabbit       > 5000 mg/kg         Eugenol (97-53-0)         LD50 oral rat       1930 mg/kg         LD50 oral rat       2500 mg/kg bodyweight         Eucalyptus oil (8000-48-4)         LD50 oral rat       2480 mg/kg         Triplal (Vertocitral) (68039-49-6)         LD50 oral       3900 mg/kg bodyweight         Fir Needle oil, Siberian (8021-29-2)         LD50 oral rat       10200 mg/kg	LD50 dermal rabbit	> 5000 mg/kg	
LD50 dermal rabbit         > 5 g/kg           Cinnamyl acetate (103-54-8)           LD50 oral rat         3300 mg/kg           LD50 oral         3330 mg/kg bodyweight           LD50 dermal rabbit         > 5000 mg/kg           Crange oil (8008-57-9)           LD50 oral rat         4400 mg/kg           LD50 dermal rabbit         > 5000 mg/kg           Eugenol (97-53-0)           LD50 oral rat         1930 mg/kg           LD50 oral rat         2500 mg/kg bodyweight           Eucalyptus oil (8000-48-4)           LD50 oral rat         2480 mg/kg           Triplal (Vertocitral) (68039-49-6)           LD50 oral         3900 mg/kg bodyweight           Fir Needle oil, Siberian (8021-29-2)           LD50 oral rat         10200 mg/kg	d-Limonene (5989-27-5)		
Cinnamyl acetate (103-54-8)           LD50 oral rat         3300 mg/kg           LD50 oral         3330 mg/kg bodyweight           LD50 dermal rabbit         > 5000 mg/kg           Crange oil (8008-57-9)           LD50 oral rat         4400 mg/kg           LD50 dermal rabbit         > 5000 mg/kg           Eugenol (97-53-0)           LD50 oral rat         1930 mg/kg           LD50 oral rat         2500 mg/kg bodyweight           Eucalyptus oil (8000-48-4)           LD50 oral rat         2480 mg/kg           Triplal (Vertocitral) (68039-49-6)           LD50 oral         3900 mg/kg bodyweight           Fir Needle oil, Siberian (8021-29-2)           LD50 oral rat         10200 mg/kg	LD50 oral rat	4400 mg/kg	
LD50 oral rat       3300 mg/kg bodyweight         LD50 dermal rabbit       > 5000 mg/kg         Crange oil (8008-57-9)         LD50 dermal rabbit       4400 mg/kg         LD50 dermal rabbit       > 5000 mg/kg         Eugenol (97-53-0)         LD50 oral rat       1930 mg/kg         LD50 oral       2500 mg/kg bodyweight         Eucalyptus oil (8000-48-4)         LD50 oral rat       2480 mg/kg         Triplal (Vertocitral) (68039-49-6)         LD50 oral       3900 mg/kg bodyweight         Fir Needle oil, Siberian (8021-29-2)         LD50 oral rat       10200 mg/kg	LD50 dermal rabbit	> 5 g/kg	
LD50 oral       3330 mg/kg bodyweight         LD50 dermal rabbit       > 5000 mg/kg         Orange oil (8008-57-9)         LD50 oral rat       4400 mg/kg         LD50 dermal rabbit       > 5000 mg/kg         Eugenol (97-53-0)         LD50 oral rat       1930 mg/kg         LD50 oral       2500 mg/kg bodyweight         Eucalyptus oil (8000-48-4)         LD50 oral rat       2480 mg/kg         Triplal (Vertocitral) (68039-49-6)         LD50 oral       3900 mg/kg bodyweight         Fir Needle oil, Siberian (8021-29-2)         LD50 oral rat       10200 mg/kg	Cinnamyl acetate (103-54-8)		
LD50 dermal rabbit       > 5000 mg/kg         Orange oil (8008-57-9)         LD50 oral rat       4400 mg/kg         LD50 dermal rabbit       > 5000 mg/kg         Eugenol (97-53-0)         LD50 oral rat       1930 mg/kg         LD50 oral       2500 mg/kg bodyweight         Eucalyptus oil (8000-48-4)         LD50 oral rat       2480 mg/kg         Triplal (Vertocitral) (68039-49-6)         LD50 oral       3900 mg/kg bodyweight         Fir Needle oil, Siberian (8021-29-2)         LD50 oral rat       10200 mg/kg	LD50 oral rat	3300 mg/kg	
Orange oil (8008-57-9)           LD50 oral rat         4400 mg/kg           LD50 dermal rabbit         > 5000 mg/kg           Eugenol (97-53-0)           LD50 oral rat         1930 mg/kg           LD50 oral         2500 mg/kg bodyweight           Eucalyptus oil (8000-48-4)           LD50 oral rat         2480 mg/kg           Triplal (Vertocitral) (68039-49-6)           LD50 oral         3900 mg/kg bodyweight           Fir Needle oil, Siberian (8021-29-2)           LD50 oral rat         10200 mg/kg	LD50 oral	3330 mg/kg bodyweight	
LD50 oral rat       4400 mg/kg         LD50 dermal rabbit       > 5000 mg/kg         Eugenol (97-53-0)         LD50 oral rat       1930 mg/kg         LD50 oral       2500 mg/kg bodyweight         Eucalyptus oil (8000-48-4)         LD50 oral rat       2480 mg/kg         Triplal (Vertocitral) (68039-49-6)         LD50 oral       3900 mg/kg bodyweight         Fir Needle oil, Siberian (8021-29-2)         LD50 oral rat       10200 mg/kg	LD50 dermal rabbit	> 5000 mg/kg	
LD50 dermal rabbit	Orange oil (8008-57-9)		
Eugenol (97-53-0)         LD50 oral rat       1930 mg/kg         LD50 oral       2500 mg/kg bodyweight         Eucalyptus oil (8000-48-4)         LD50 oral rat       2480 mg/kg         Triplal (Vertocitral) (68039-49-6)         LD50 oral       3900 mg/kg bodyweight         Fir Needle oil, Siberian (8021-29-2)         LD50 oral rat       10200 mg/kg	LD50 oral rat	4400 mg/kg	
LD50 oral rat       1930 mg/kg         LD50 oral       2500 mg/kg bodyweight         Eucalyptus oil (8000-48-4)         LD50 oral rat       2480 mg/kg         Triplal (Vertocitral) (68039-49-6)         LD50 oral       3900 mg/kg bodyweight         Fir Needle oil, Siberian (8021-29-2)         LD50 oral rat       10200 mg/kg	LD50 dermal rabbit	> 5000 mg/kg	
LD50 oral 2500 mg/kg bodyweight  Eucalyptus oil (8000-48-4)  LD50 oral rat 2480 mg/kg  Triplal (Vertocitral) (68039-49-6)  LD50 oral 3900 mg/kg bodyweight  Fir Needle oil, Siberian (8021-29-2)  LD50 oral rat 10200 mg/kg	Eugenol (97-53-0)		
Eucalyptus oil (8000-48-4)         LD50 oral rat       2480 mg/kg         Triplal (Vertocitral) (68039-49-6)         LD50 oral       3900 mg/kg bodyweight         Fir Needle oil, Siberian (8021-29-2)         LD50 oral rat       10200 mg/kg	LD50 oral rat	1930 mg/kg	
LD50 oral rat       2480 mg/kg         Triplal (Vertocitral) (68039-49-6)         LD50 oral       3900 mg/kg bodyweight         Fir Needle oil, Siberian (8021-29-2)         LD50 oral rat       10200 mg/kg	LD50 oral	2500 mg/kg bodyweight	
Triplal (Vertocitral) (68039-49-6)  LD50 oral 3900 mg/kg bodyweight  Fir Needle oil, Siberian (8021-29-2)  LD50 oral rat 10200 mg/kg	Eucalyptus oil (8000-48-4)		
LD50 oral 3900 mg/kg bodyweight  Fir Needle oil, Siberian (8021-29-2)  LD50 oral rat 10200 mg/kg	LD50 oral rat	2480 mg/kg	
Fir Needle oil, Siberian (8021-29-2)  LD50 oral rat  10200 mg/kg	Triplal (Vertocitral) (68039-49-6)		
LD50 oral rat 10200 mg/kg	LD50 oral	3900 mg/kg bodyweight	
	Fir Needle oil, Siberian (8021-29-2)		
	LD50 oral rat	10200 mg/kg	
Allyl cyclohexylpropionate (2705-87-5)			
LD50 oral rat 585 mg/kg	LD50 oral rat	585 mg/kg	
LD50 oral 380 mg/kg bodyweight	LD50 oral	380 mg/kg bodyweight	

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Allyl cyclohexylpropionate (2705-87-5)		
LD50 dermal rabbit	1600 mg/kg	
LD50 dermal	1600 mg/kg bodyweight	
Lemon oil (8008-56-8)		
LD50 oral rat	2840 mg/kg	
Amberwood F (58567-11-6)		
LD50 oral rat	> 5 g/kg	
LD50 dermal rabbit	> 5000 mg/kg	
Serious eye damage/irritation : N	Not classified Not classified	
•	May cause an allergic skin reaction.	
,	Not classified	
Carcinogenicity : N	Not classified	
d-Limonene (5989-27-5)		
IARC group	3 - Not classifiable	
Eugenol (97-53-0)		
IARC group	3 - Not classifiable	
Reproductive toxicity : N	Not classified	
STOT-single exposure : N	Not classified	
STOT-repeated exposure : N	Not classified	
Aspiration hazard : N	Not classified	
Orange oil (8008-57-9)		
Hydrocarbon	Yes	

## 11.2. Information on other hazards

#### 11.2.1. Endocrine disrupting properties

No additional information available

### 11.2.2. Other information

Potential adverse human health effects and symptoms

: Based on available data, the classification criteria are not met

## **SECTION 12: Ecological information**

## 12.1. Toxicity

Ecology - general : Harmful to aquatic life with long lasting effects.

Hazardous to the aquatic environment, short-term : Not classified

(acute)

Hazardous to the aquatic environment, long–term : Harmful to aquatic life with long lasting effects.

(chronic)

(chronic)	
Vertenex (32210-23-4)	
LC50 - Fish [1]	8.6 mg/l (Exposure time: 96 h - Species: Cyprinus carpio [semi-static])
d-Limonene (5989-27-5)	
LC50 - Fish [1]	0.619 – 0.796 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through])
LC50 - Fish [2]	35 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss)

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Eugenol (97-53-0)	
LC50 - Fish [1]	13 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static])
Allyl cyclohexylpropionate (2705-87-5)	
LC50 - Fish [1]	0.13 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through])

## 12.2. Persistence and degradability

MANDARIN PALO SANTO #EU55161F		
Persistence and degradability	Not established.	
Eucalyptus oil (8000-48-4)		
Persistence and degradability	Not established.	
Amberwood F (58567-11-6)		
Persistence and degradability	May cause long-term adverse effects in the environment.	

## 12.3. Bioaccumulative potential

MANDARIN PALO SANTO #EU55161F			
Bioaccumulative potential	Not established.		
Cinnamic aldehyde (104-55-2)			
Partition coefficient n-octanol/water (Log Pow)	2.1065 (at 25 °C)		
Vertenex (32210-23-4)			
Partition coefficient n-octanol/water (Log Pow)	4.8 (at 25 °C)		
d-Limonene (5989-27-5)			
Partition coefficient n-octanol/water (Log Pow)	4.38 (at 37 °C (at pH 7.2)		
Cinnamyl acetate (103-54-8)			
Partition coefficient n-octanol/water (Log Pow)	2.7 (at 35 °C (at pH 7)		
Eugenol (97-53-0)	Eugenol (97-53-0)		
Partition coefficient n-octanol/water (Log Pow)	1.83 (at 30 °C (at pH 5.5)		
Eucalyptus oil (8000-48-4)			
Bioaccumulative potential	Not established.		
Allyl cyclohexylpropionate (2705-87-5)			
Partition coefficient n-octanol/water (Log Pow)	4.28 (at 20 °C (at pH 5.3)		
Amberwood F (58567-11-6)			
BCF - Fish [1]	(530 dimensionless (whole body w.w.)		
Partition coefficient n-octanol/water (Log Pow)	5.4 (at 25 °C)		
Bioaccumulative potential	Not established.		

## 12.4. Mobility in soil

No additional information available

## 12.5. Results of PBT and vPvB assessment

No additional information available

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### 12.6. Endocrine disrupting properties

No additional information available

#### 12.7. Other adverse effects

Additional information

: Avoid release to the environment

## SECTION 13: Disposal considerations

#### 13.1. Waste treatment methods

Waste treatment methods

Product/Packaging disposal recommendations

Ecology - waste materials HP Code

- : Dispose of contents/container in accordance with licensed collector's sorting instructions.
- : Dispose in a safe manner in accordance with local/national regulations. Dispose of contents/container in accordance with local/national laws and regulations.
- : Avoid release to the environment.
- : HP3 "Flammable:"
  - flammable liquid waste: liquid waste having a flash point below 60 °C or waste gas oil, diesel and light heating oils having a flash point > 55 °C and ≤ 75 °C;
  - flammable pyrophoric liquid and solid waste: solid or liquid waste which, even in small quantities, is liable to ignite within five minutes after coming into contact with air;
  - flammable solid waste: solid waste which is readily combustible or may cause or contribute to fire through friction;
  - flammable gaseous waste: gaseous waste which is flammable in air at 20 °C and a standard pressure of 101.3 kPa;
  - water reactive waste: waste which, in contact with water, emits flammable gases in dangerous quantities;
  - other flammable waste: flammable aerosols, flammable self-heating waste, flammable organic peroxides and flammable self-reactive waste.

HP14 - "Ecotoxic:" waste which presents or may present immediate or delayed risks for one or more sectors of the environment

## **SECTION 14: Transport information**

In accordance with ADR / IMDG / IATA / ADN / RID

ADR	IMDG	IATA	ADN	RID
14.1. UN number or ID n	14.1. UN number or ID number			
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.2. UN proper shipping	g name			
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.3. Transport hazard o	14.3. Transport hazard class(es)			
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.4. Packing group				
Not applicable Not applicable Not applicable Not applicable Not applicable				
14.5. Environmental hazards				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
No supplementary information available				

## 14.6. Special precautions for user

#### Overland transport

Not applicable

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

#### Transport by sea

Not applicable

#### Air transport

Not applicable

### Inland waterway transport

Not applicable

#### Rail transport

Not applicable

## 14.7. Maritime transport in bulk according to IMO instruments

Not applicable

## SECTION 15: Regulatory information

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

### 15.1.1. EU-Regulations

### **REACH Annex XVII (Restriction List)**

EU restriction list (REACH Annex XVII)		
Reference code	Applicable on	Entry title or description
3(a)	d-Limonene ; Orange oil ; Eucalyptus oil ; Fir Needle oil, Siberian ; Lemon oil	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 2.1 to 2.4, 2.6 and 2.7, 2.8 types A and B, 2.9, 2.10, 2.12, 2.13 categories 1 and 2, 2.14 categories 1 and 2, 2.15 types A to F
3(b)	MANDARIN PALO SANTO #EU55161F; Cinnamic aldehyde; Vertenex; d-Limonene; Cinnamyl acetate; Orange oil; Eugenol; Eucalyptus oil; Triplal (Vertocitral); Fir Needle oil, Siberian; Allyl cyclohexylpropionate; Lemon oil; Amberwood F	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 3.1 to 3.6, 3.7 adverse effects on sexual function and fertility or on development, 3.8 effects other than narcotic effects, 3.9 and 3.10
3(c)	MANDARIN PALO SANTO #EU55161F; Cinnamic aldehyde; d- Limonene; Orange oil; Eucalyptus oil; Triplal (Vertocitral); Fir Needle oil, Siberian; Allyl cyclohexylpropionate; Lemon oil; Amberwood F	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard class 4.1
40.	d-Limonene ; Orange oil ; Eucalyptus oil ; Fir Needle oil, Siberian ; Lemon oil	Substances classified as flammable gases category 1 or 2, flammable liquids categories 1, 2 or 3, flammable solids category 1 or 2, substances and mixtures which, in contact with water, emit flammable gases, category 1, 2 or 3, pyrophoric liquids category 1 or pyrophoric solids category 1, regardless of whether they appear in Part 3 of Annex VI to Regulation (EC) No 1272/2008 or not.

### **REACH Annex XIV (Authorisation List)**

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

#### **REACH Candidate List (SVHC)**

Contains no substance(s) listed on the REACH Candidate List

#### **PIC Regulation (Prior Informed Consent)**

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

#### **POP Regulation (Persistent Organic Pollutants)**

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

#### Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

#### **Explosives Precursors Regulation (2019/1148)**

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

#### **Drug Precursors Regulation (273/2004)**

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

#### 15.1.2. National regulations

#### Germany

Water hazard class (WGK) Storage class (LGK, TRGS 510) Joint storage table : WGK 3, Highly hazardous to water (Classification according to AwSV, Annex 1).

: LGK 10 - Combustible liquids.

:	LGK 1	LGK 2A	LGK 2B	LGK 3	LGK 4.1A
	LGK 4.1B	LGK 4.2	LGK 4.3	LGK 5.1A	LGK 5.1B
	LGK 5.1C	LGK 5.2	LGK 6.1A	LGK 6.1B	LGK 6.1C
	LGK 6.1D	LGK 6.2	LGK 7	LGK 8A	LGK 8B
	LGK 10	LGK 11	LGK 12	LGK 13	LGK 10-13

Joint storage not permitted for

Joint storage with restrictions permitted for

Joint storage permitted for

: LGK 1, LGK 2A, LGK 5.1A, LGK 6.2, LGK 7.

: LGK 4.1A, LGK 4.2, LGK 4.3, LGK 5.1B, LGK 5.1C, LGK 5.2.

: LGK 2B, LGK 3, LGK 4.1B, LGK 6.1A, LGK 6.1B, LGK 6.1C, LGK 6.1D, LGK 8A, LGK 8B, LGK 10, LGK 11, LGK 12, LGK 13, LGK 10-13.

List of sensitizing substances (TRGS 907)

Hazardous Incident Ordinance (12. BImSchV)

: Contains sensitizing substances according TRGS 907.

: Is not subject of the Hazardous Incident Ordinance (12. BImSchV)

### Netherlands

ABM category

: A(2) - toxic for aquatic organisms, may have longterm hazardous effects in aquatic environment

SZW-lijst van kankerverwekkende stoffen

SZW-lijst van mutagene stoffen

: Orange oil ,Eucalyptus oil,Triplal (Vertocitral),Lemon oil are listed : Orange oil ,Eucalyptus oil,Triplal (Vertocitral),Lemon oil are listed

SZW-lijst van reprotoxische stoffen – Borstvoeding

: None of the components are listed

SZW-lijst van reprotoxische stoffen –

: None of the components are listed

Vruchtbaarheid SZW-lijst van reprotoxische stoffen – Ontwikkeling

: None of the components are listed

#### **Denmark**

Class for fire hazard Store unit

: Class III-1 : 50 liter

Classification remarks

: Flammable according to the Danish Ministry of Justice; Emergency management guidelines for the storage of flammable liquids must be followed

**Danish National Regulations** 

: Young people below the age of 18 years are not allowed to use the product Pregnant/breastfeeding women working with the product must not be in direct contact with

the product

#### **Switzerland**

Storage class (LK) : LK 10/12 - Liquids

### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

4/28/2023 (Issue date) EN (English) 13/14

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### **SECTION 16: Other information**

Other information : None.

Full text of H- and EUH-statements:				
Acute Tox. 4 (Dermal)	Acute toxicity (dermal), Category 4			
Acute Tox. 4 (Inhalation)	x. 4 (Inhalation) Acute toxicity (inhal.), Category 4			
Acute Tox. 4 (Oral)	Tox. 4 (Oral) Acute toxicity (oral), Category 4			
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard, Category 1			
Aquatic Chronic 1	1 Hazardous to the aquatic environment – Chronic Hazard, Category 1			
Aquatic Chronic 2	Hazardous to the aquatic environment – Chronic Hazard, Category 2			
Aquatic Chronic 3	Hazardous to the aquatic environment – Chronic Hazard, Category 3			
Asp. Tox. 1	x. 1 Aspiration hazard, Category 1			
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2			
Flam. Liq. 3	Flammable liquids, Category 3			
H226	Flammable liquid and vapour.			
H302	Harmful if swallowed.			
H304	May be fatal if swallowed and enters airways.			
H312	Harmful in contact with skin.			
H315	Causes skin irritation.			
H317	May cause an allergic skin reaction.			
H319	Causes serious eye irritation.			
H332	Harmful if inhaled.			
H361	Suspected of damaging fertility or the unborn child.			
H400	Very toxic to aquatic life.			
H410	Very toxic to aquatic life with long lasting effects.			
H411	Toxic to aquatic life with long lasting effects.			
H412	Harmful to aquatic life with long lasting effects.			
Repr. 2	Reproductive toxicity, Category 2			
Skin Irrit. 2	Skin corrosion/irritation, Category 2			
Skin Sens. 1	ens. 1 Skin sensitisation, Category 1			
Skin Sens. 1B	Skin sensitisation, category 1B			

The classification complies with

: ATP 12

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.